Author index

Abbas, H. (*see* Gardner, I.C.), 205
Abe, Y. (*see* Esashi, Y.), 183
Adema, E.H. (*see* van Hove, L.W.A.), 897
Alfani, A., Ligrone, R., Fioretto, A. & Virzo de Santo, A. Histochemistry, ultrastructure and possible significance of dead parenchuyma cells with specialized walls in leaf and rhizome of *Sanservieria*, 249
Allan, E. & Trewavas, A.J. The nature of protein differentiation in the growing pea root, 569
Allison, G.B. (*see* Walker, C.D.), 221
Antoszewski, R., Dabydeen, S. & Lalla, A. Photosynthetic activity of chloroembyos of a few selected tropical plants, 759
Ashino, H. (*see* Esashi, Y.), 183
Ashworth, E.N., Davis, G.A. & Wisniewski, M.E. The formation and distribution of ice within dormant and deacclimated peach flower buds 521
Aspinall, D. (*see* Lloyd, J.), 529
Axelsson, L., Carlberg, S. & Ryberg, H. Adaptations by macroalgae to low carbon availability. I. A buffer system in *Ascophyllum nodosum*, associated with photosynthesis, 765
Axelsson, L., Carlberg, S. & Ryberg, H. Adaptations by macroalgae to low carbon availability. II. Ultrastructural specializations, related to the function of a photosynthetic buffer system in the Fucaceae, 771

Baker, N.R. (*see* Ireland, C.R.), 945
Barber, J. (*see* Marder, J.B.), 595
Basso, B., Rosa, P. & Tognoli, L. Microsome protein phosphorylation in *Acer pseudoplatanus* cells as influenced by intracellular alkalinization, 191
Berkaloff, A. (*see* Vartanian, N.), 197
Berry, W.G. (*see* Smith, S.), 653
Blanke, M.M. & Lenz, F. Fruit photosynthesis, 31
Blom, C.W.P.M. (*see* Voesenek, L.A.C.J.), 433
Bloom, A.J. (*see* Schachtman, D.P.), 47
Boyer, J.S. Water potential and plant metabolism: comments on Dr P.J. Kramer's article 'Changing concepts regarding plant water relations', Volume 11, Number 7, pp. 565–568 and Dr J.B. Passioura's response, pp. 569–571, 213
Buchala, A.H. (*see* Pythoud, F.), 489

Canny, M.J. (*see* Walsh, K.B.), 395, 713
Cardenas J. (*see* Munoz-Blanco, J.), 173
Carlberg, S. (*see* Axelsson, L.) 765, 771
Carrington, C.M.S. & Esnard, J. Kinetics of thigmocurvature in two tendril-bearing climbers, 449
Carter, G.A., Paliwal, K., Pathre, U., Greene, T.H., Mitchell, R.J. & Gjerstad, D.H. Effect of competition and leaf age on visible and infrared reflectance in pine foliage, 309
Casal, J.J. & Smith, H. The 'end-of-day' phytochrome control of internode elongation in mustard: kinetics, interaction with the previous influence rate, and ecological implications, 511
Casal, J.J. & Smith, H. The function, action and adaptive significance of phytochrome in light-grown plants, 853
Collings, J.C. (*see* Hajibagheri, M.A.), 753
Colman, B. (*see* Owttrim, G.W.), 805
Cramer, G., Epstein, E. & Lauchli, A. Na-Ca interactions in barley seedlings; relationship to ion transport and growth, 551
Crowe, J.H. (*see* Hoekstra, F.A.), 83
Cummins, W.R. (*see* McNulty, A.K.), 747

Dabydeen, S. (*see* Antoszewski, R.), 759
Darrall, N.M. The effect of air pollutants on physiological processes in plants, 1
Davies, W.J. (*see* Zhang, J.), 73
Davis, G.A. (*see* Ashworth, E.N.), 521
De Greef, J.A. (*see* Dedonder, A.), 843
Dedonder, A., Rethy, R., Fredericq, H. & De Greef, J.A. Energy charge during aerobic and anaerobic inhibition of *Kalanchoe blossfeldiana* seeds, 843
Deleens, E., Marcotte, L., Schwebel-Dugue, N. & Vartanian, N. Stable isotope carbon study: long-term partitioning during progressive drought stress in *Brassica* v. *oleifera*, 615
Delucia, E.H. & Heckathorn, S.A. The effect of soil drought on water-use efficiency in contrasting Great Basin desert and Sierran montane species, 933
Dighton, J.C. (*see* Walker, C.D.), 221
Dinkelaker, B., Romheld, V. & Marschner, H. Citric acid excretion and precipitation of calcium citrate in the rhizosphere of white lupin (*Lupinus albus* L.), 285
Doussinault, G. (*see* Masle, J.), 235
Dromgoole, F.I. (*see* Sorrell, B.K.), 293
Due, G. Frequency as a property of physiological signals in plants, 145
Duffus, C. (*see* Kaur, J.), 155
Dvorak, J. (*see* Schachtman, D.P.) 47

Edwards, G.E. (*see* Moore, B.D.), 541
Egley, G.H. Some effects of nitrate-treated soil sensitivity of buried redwood pigweed (*Amaranthus retroflexus* L.) seeds to ethylene, temperature, light and carbon dioxide, 581
El-Beltagy, A.D. (*see* Jones R.A.), 813
Enoch, H.Z. (*see* Mousseau, M.), 925
Epstein, E. (*see* Cramer, G.), 551
Esashi, Y., Abe, Y., Ashino, H., Ishizawa, K. & Saitoh, K. Germination of cocklebur seed and growth of their axial and cotyledonary tissues in response to C_2H_4 CO_2 and/or O_2 under water stress, 183
Esnard, J. (*see* Carrington, C..M.S.), 449

Farquhar, G. (*see* Hubick, K.), 795
Farquhar, G.D. (*see* Masle, J.), 235
Farrar, J.F. (*see* Williams, M.L.), 907
Feierabend, J. (*see* Volk, S.), 701
Feldman, L.J. (*see* Goliber, T.E.), 163
Fioretto, A. (*see* Alfani, A.), 249
Fitzsimons, P.J. The determination of sensitivity parameters for auxin-induced H^+-efflux from *Avena* coleoptile segments, 737
Flanagan, L.B. & Jeffries, R.L. Photosynthetic and stomatal responses of the halophyte, *Plantago maritima* L. to fluctuations in salinity, 559
Flowers, T.J. (*see* Hajibagheri, M.A.), 753
Fortin, M.-C., Pierce, F.J. & Poff, K.L. The pattern of secondary root formation in curving roots of *Arabidopsis thaliana* (L.) Heynh., 337
Fredericq, H. (*see* Dedonder, A.), 843

Gallagher, J.L. (*see* Straub, P.F.), 503
Gardner, I.C., Abbas, H. & Scott, A. The occurrence of amoeboid plastids in the actinorhizal root nodules of *Alnus glutinosa* (L.) Gaertn, 205
Gastal, F. & Saugier, B. Relationships between nitrogen uptake and carbon assimilation in whole plants of tall fescue, 407
Ghashghaie, J. & Saugier, B. Effects of nitrogen deficiency on leaf photosynthetic response of tall fescue to water deficit, 261
Gjerstad, D.H. (*see* Carter, C.A.), 309
Goliber, T.E. & Feldman, L.J. Osmotic stress, endogenous abscisic acid and the control of leaf morphology in *Hippuris vulgaris* L., 163
Gonzalez-Reyes, J.A. (*see* Hildago, A.), 455
Grace, J. (*see* van Gardingen, P.R.), 885
Gradmann, D. & Robinson, D.G. Does turgor prevent endocytosis in plant cells?, 151
Grantz, D.A. (*see* Meinzer, F.C.), 636

Graves, J.D., Press, M.C. & Stewart, C.R. A carbon balance model of the sorghum-*Striga hermonthica* host-parasite association, 101
Greene, T.H. (*see* Carter, C.A.), 309
Greer, D.H., Stanley, C.J. & Warrington, I.J. Photoperiod control of the initial phase of frost hardiness development in *Pinus ratiata*, 661
Guy, C.L. (*see* Teets, T.M.), 495

Hajibagheri, M.A., Yeo, A.R., Flowers, T.J. & Collins, J.C. Salinity resistance in *Zea mays:* fluxes of potassium, sodium and chloride, cytoplasmic concentrations and microsomal membrane lipids, 753
Harbinson, J. & Hedley, C.L. The kinetics of P-700$^+$ reduction in leaves: a novel *in situ* probe of thylakoid functioning, 357
Hardegree, S.P. Discrepancies between water potential isotherm measurements on *Pinus ponderosa* seedling shoots: xylem hysteresis and apoplasmic osmotic potentials, 57
Harrison, G.E. (*see* Young, A.T.), 461
Hay, G.T. (*see* Raven, J.A.), 683
Heckathorn, S.A. (*see* Delucia, E.H.), 933
Hedley, C.L. (*see* Harbinson, J.), 357
Hellebust, J.A. & Yi-Hung, Lin Regulation of glycerol and starch metabolism in *Chlamydomonas pulsatilla* in response to changes in salinity, 621
Higgs, K.H. (*see* Jones, H.J.), 301
Hildago, A., Gonzalez-Reyes, J.A. & Navas, P. Ascorbate free radical enhances vacuolization in onion root meristems, 455
Hoekstra, F.A., Crowe, L.M. & Crowe, J.H. Differential desiccation sensitivity of corn and *Pennisetum* pollen linked to their sucrose contents, 83
Howarth, C. Heat shock proteins in *Sorghum bicolor* and *Pennisetum americanum* I. genotypic and developmental variation during seed germination, 471
Hubick, K. & Farquhar, G. Carbon isotope discrimination and the ratio of carbon gained to water lost in barley cultivars, 795
Huerta, A.J. & Murphy, T.M. Control of intracellular glutathione and its effect on ultraviolet radiation-induced K^+ efflux in cultured rose cells, 825
Hummel, R.L. (*see* Teets, T.M.), 495

Ingemarsson, B. (*see* Oscarson, p.), 779, 787
Ireland, C.R., Long, S.P. & Baker, N.R. An integrated portable apparatus for the simultaneous field measurement of photosynthetic CO_2 and water vapour exchange, light absorption and chlorophyll fluorescence emission of attached leaves, 945
Ishizawa, K. (*see* Esashi, Y.), 183

Jefferies, R.L. (*see* Flanagan, L.B.), 559
Jeffree, C.E. (*see* van Gardingen, P.R.), 885
Jones, H.G. & Higgs, K.H. Empirical models of the conductance of leaves in apple orchards, 301
Jones, R.A. & El-Beltagy, A.D. Epinasty promoted by salinity or ethylene is an indicator of salt-sensitivity in tomatoes, 813

Kaiser, W.M. (*see* Mitterhuber, E.), 93
Kaur, J. & Duffus, C. The effect of sodium fluoride on cereal seed germination and seedling growth, 155
Kavi Kishor, P.B. Salt stress in cultured rice cells: effects of proline and absisic acid, 629
Keeley, J.E. & Keeley, S.C. Crassulacean acid metabolism (CAM) in high elevation tropical cactus, 331
Keeley, S.C. (*see* Keeley, J.E.), 331
Kinraide, T.B. & Parker, D.R. Assessing the phytotoxicity of mononuclear hydroxy-aluminium, 479
Kriedemann, P.E. (*see* Lloyd, J.), 529
Ku, M.S.B. (*see* Moore, Bd.), 541

Lalla, A. (*see* Antoszewski, R.), 759
Larsson, C.-M. (*see* Oscarson, P.), 779, 787
Lauchli, A, (*see* Cramer, G.), 551
Lawlor, D.W. (*see* Young, A.T.), 461
Laybourn-Parry, J. (*see* Owen, J.H.), 323
Layzell, D.B. (*see* Walsh, K.B.), 713
Leaney, F.W. (*see* Walker, C.D.), 221
Leigh, R.A. (*see* Malone, M.), 917
Lenz, F. (*see* Blanke, M.M.), 31
Letham, D.S. (*see* Nandi, S.K.), 273
Leuning, R. & Sands, P. Theory and practice of a portable photosynthesis instrument, 669
Ligrone, R. (*see* Alfani, A.), 249
Lin, Yi-Hung (*see* Hellebust, J..A.), 621
Lloyd, J., Kriedemann, P.E. & Aspinall, D. Comparative sensitivity of 'Prior Lisbon' lemon and 'Valencia' orange trees to foliar sodium and chloride concentrations, 529
Long, S.P. (*see* Ireland, C.R.), 945

McCully, M.E. (*see* Walsh K.B.), 395
McDonald, A. & James, S. Nitrate availability and shoot area development in small willow (*Salix viminalis*), 417
McInroy, S.G. (*see* Raven, J.A.), 683
McNulty, A.K. & Cummins, W.R. The effect of photoperiod length on respiration in leaves of *Saxifraga cernua* L., an arctic herb 747
Malone, M., Leigh, R.A. & Tomos, A.D. Extraction and analysis of sap from individual wheat leaf cells: the effect of sampling speed on the osmotic pressure of extracted sap, 917
Marcotte, L. (*see* Deleens, E.), 615
Marder, J.B. & Barber, J. The molecular anatomy and function of thylacoid proteins, 595
Marschner, H. (*see* Dinkelaker, B.), 285
Masle, J., Doussinault, G., Farquhar, G.D. & Sun, B. Foliar stage in wheat correlates better to photothermal time than to thermal time, 235
Meizner, F.C. & Grantz, D.A. Stomatal control of transpiration from a developing sugarcane canopy, 635
Milne, R. Diurnal water storage in the stems of *Picea sitchensis* (Bong.) Carr, 63
Minorsky, P.V. Temperature sensing by plants, 119
Minorsky, P.V. & Spanswick, R.M. Electrophysiological evidence for a role for calcium in temperature sensing by roots of cucumber seedlings, 137
Mitchell, R.J. (*see* Carter, G.A.), 309
Mitterhuber, E., Pfanz, H. & Kaiser, W.M. Leaching of solutes by the action of acidic rain: a comparison of efflux from twigs and single needles of *Picea abies* (L. Karst.), 93
Monson, R.K. & Moore, B.d. On the significance of C_3–C_4 intermediate photosynthesis to the evolution of C_4 photosynthesis, 689
Moore, B.d., Ku, M.S.B. & Edwards, G.E. Expression of C_2–like photosynthesis in several species of *Flaveria*, 541 (*see also* Monson, R.K.), 689
Morgan, D.C. (*see* Warrington, I.J.), 343
Mousseau, M. & Enoch, H.Z. Carbon dioxide enrichment reduces shoot growth in sweet chestnut seedlings (*Castanea sativa* Mill.), 925
Muchow, R.C. & Sinclair, T.R. Epidermal conductance, stomatal density and stomatal size among genotypes of *Sorghum bicolor* (L.) Moench, 425
Munoz-Blanco, J. & Cardenas, J. Changes in glutamate dehydrogenase activity of *Chlamydomonas reinhardtii* under different trophic and stress conditions, 173
Murphy, T.M. (*see* Huerta, A.J.), 825

Nandi, S.K., Palni, L.M.S., Letham, D.S. & Wong, D.C. Identification of cytokinins in primary crown gall tumours of tomato, 273
Navas, P. (*see* Hildago, A.), 455
Nobel, P.S. Shoot temperatures and thermal tolerances for succulent species of *Haworthia* and *Lithops,* 643 (*See also* Schulte, P.J.), 831

Osborne, B.A. Comparison of photosynthesis and productivity of *Gunnera tinctoria* Molina (Mirbel) with and without the phycobiont *Nostoc punctiforme* L., 939
Osborne, D.J. (*see* Ridge, I.), 383
Oscarson, P., Ingemarsson, B. & Larsson, C.-M. Growth and nitrate uptake properties of plants grown at different relative

rates of nitgrogen supply, I. Growth of *Pisum* and *Lemna* in relation to nitrogen, 779
Oscarson, P., Ingemarsson, B. & Larsson, C.-M. Growth and nitrate uptake properties of plants grown at different relative rates of nitrogen supply. II. Activity and affinity of the nitrate uptake system in *Pisum* and *Lemna* in relation to nitrogen availability and nitrogen demand, 787
Owen, J.H. & Laybourn-Parry, J. Cartesian-diver microrespirometry: a technique for the accurate measurement of respiratory flux in plant cells, 323
Owttrim, G.W. & Colman, B. Measurement of the photrespiratory activity of the submerged aquatic plant *Myriophyllum spicatum* L., 805

Paliwal, K. (*see* Carter, G.A.), 309
Palni, L.M.S. (*see* Nandi, S.K.) 273
Parker, D.R. (*see* Kinraide, T.B.), 479
Pathre, U. (*see* Carter, G.A.) 309
Pfanz, H. (*see* Mitterhuber, E.), 93
Pierce, F.J. (*see* Fortin, M.-C.), 337
Pieters, G.A. (*see* van Hove, L.W.A.), 897
Poff, K.L. (*see* Fortin, M.-C.), 337
Pollock, C.J. (*see* Williams, M.L.), 907
Press, M.C. (*see* Graves, J.D.), 101
Pythoud, F. & Buchala, A.J. The fate of vitamin D_2 and indolylbutyric acid applied to cuttings of *Populus tremula* L. during adventitious root formation, 489
Randall, H.C. & Sinclair, T.R. Relative growth rates of leaves from soybean grown under drought-stressed and irrigated field conditions, 317
Randall, H.C. & Sinclair, T.R. Leaf wall yield threshold of field-grown soybean measured by vapour pressure psychrometry, 441
Raven, J.A., Sprent, J.I., McInroy, S.G. & Hay, G.T. Water balance of N_2^- fixing root nodules: Can phloem and xylem transport explain itself? 683
Rethy, R. (*see* Dedonder, A.), 843
Ridge, I. & Osborne, D.J. Wall extensibility, wall pH and tissue osmolality: significance for auxin and ethylene-enhanced petiole growth in semi-aquatic plants, 383
Robinson, D.G. (*see* Gradmann, D.), 151
Romheld, V. (*see* Dinkelaker, B.), 285
Rook, D.A. (*see* Warrington, I.J.), 343
Rosa, P. (*see* Basso, N.), 191
Ryberg, H. (*see* Axelsson, L.), 765, 771

Saitoh, K. (*see* Esashi, Y.), 183
Sands, P. (*see* Leuning, R.), 669
Santarius, K.A. (*see* Schulteis, C.), 819
Saugier, B. (*see* Gastal, F.), 407 (*See also* Ghashghaie, J.), 261
Schachtman, D.P., Bloom, A.J. & Dvorak, J. Salt tolerant *Triticum* × *Lophopyrum* derivatives limit the accumulation of sodium and chloride ions under saline-stress, 47
Scheibe, R. (*see* Ziegler, P.), 725
Schulte, P.J., Smith, J.A.C. & Nobel, P.S. Water storage and osmotic pressure influences on the water relations of a dicotyledonous desert succulent, 831
Schulteis, C. & Santarius, K.A. Effects of prolonged freezing stress on the photosynthetic apparatus of moderately hardy leaves as assayed by chlorophyll fluorescence kinetics, 819
Schwebel-Dugue, N. (*see* Deleens, E.), 615
Scott, A. (*see* Gardner, I.C.) 205
Sears, B.B. (*see* Wolfson, R.), 109
Sinclair, T.R. (*see* Muchow, R.C.), 425 (*See also* Randall, H.C.), 317, 441
Smith, H. (*see* Casal, J.J.), 511
Smith, J.A.C. (*see* Schulte, P.J.), 831
Smith, S., Weyers, J.D.B. & Berry, W.G. Variation in stomatal characteristics over the lower surface of *Commelina communis* leaves, 653
Sorrell, B.K. & Dromgoole, F.I. Oxygen diffusion and dark respiration in aquatic macrophytes, 293
Spanswick, R.M. (*see* Minorsky, P.V.), 137
Sperry, J.S. (*see* Tyree, M.T.), 371
Sprent, J.I. (*see* Raven, J.A.), 683
Stanley, C.J. (*see* Greer, D.H.), 661
Stewart, G.R. (*see* Graves, J.D.), 101
Straub, P.F. & Gallagher, J.L. Cold tolerance in *Sporobolus virginicus* (L.) Kunth robust form, tissue culture and whole plants, 503
Sun B. (*see* Masle J.), 235

Teets, T.M., Hummel, R.L. & Guy, C.L. Cold-acclimation of *Hibiscus rosa sinensis* L. and *Hibiscus syriacus* L. in natural and controlled environments, 495
Thornley, J.H.M. & Verberne, E.L.J. A model of nitrogen flows in grassland, 861
Tognoli, L. (*see* Basso, B.), 191
Tomos, A.D. (*see* Malone, M.), 917
Trewavas, A.J. (*see* Allan, E.), 569
Turnbull, H.L. (*see* Warrington, I.J.), 343
Tyree, M.T. & Sperry, J.S. Characterization and propagation of acoustic emission signals in woody plants: towards an improved acoustic emission counter, 371

van Gardingen, P.R., Jeffree, C.E. & Grace, J. Variation in stomatal aperture in leaves of *Avena fatua* L. observed by low-temperature scanning electron microscopy, 885
van Hove, L.W.A., van Kooten, D., Adema, E.H., Vredenberg, W.J. & Pieters, G.A. Physiological effects of long-term exposure to low and moderate concentrations of atmospheric NH_3 on poplar leaves, 897
van Kooten, O. (*see* van Hove, L.W.A.), 897
Vartanian, N. & Berkaloff, A. Drought adaptability of *Agrobacterium rhizogenes*-induced roots in oilseed rape (*Brassica napus* var. *oleifera*, 197 (*See also* Deleens, E.), 615
Verberne, E.L.J. (*see* Thornley, J.H.M.), 861
Virzo de Santo, A. (*see* Alfani, A.), 249
Voesenek, L.A.C.J. & Blom, C.W.P.M. Growth response of *Rumex* species in relation to submergence and ethylene, 433
Volk, S. & Feierabend, J. Photoinactivation of catalase at low temperature and its relevance to photosynthetic and peroxide metabolism in leaves, 701
Vredenberg, W.J. (*see* van Hove, L.W.A.), 897

Walker, C.D., Leaney, F.W., Dighton, J.C. & Allison, G.B. The influence of transpiration on the equilibrium of leaf water with atmospheric water vapour, 221
Walsh, K.B., Canny, M.J. & Layzell, D.B. Vascular transport and soybean nodule function: II. A role for phloem supply in product export, 713
Walsh, K.B., McCully, M.E. & Canny, M.J. Vascular transport and soybean nodule function: nodule xylem is a blind alley, not a throughway, 395
Warrington, I.J., Rook, D.A., Morgan, D.C. & Turnbull, H.L. The influence of simulated shadelight and daylight on growth, development and photosynthesis of *Pinus radiata, Agathis australis* and *Dacrydium cupressinum*, 343 (*See also* Greer, D.H.), 661
Weyers, J.D.B. (*see* Smith, S.), 653
Williams, M.L., Farrar, J.F. & Pollock, C.J. Cell specialization within the parenchymatous bundle sheath of barley, 907
Wisniewski, M.E. (*see* Ashworth, E.N.), 521
Wolfson, R. & Stewart, B.B. A reduction in the abundance of calcium oxalate crystals in *Oenothera* improves the yield of intact chloroplast, 109
Wong, O.C. (*see* Nandi, S.K.), 272

Yeo, A.R. (*see* Hajibagheri, M.A.), 753
Young, A.T., Harrison, G.E. & Lawlor, D.W. A compact lighting system for use with portable leaf chambers to measure photosynthesis, 461

Zhang, J. & Davies, W.J. Abscisic acid produced in dehydrating roots may enable the plant to measure the water status of the soil, 73
Ziegler, P. & Scheibe, R. Greening and growth of suspension-cultured cells of *Chenopodium rubrum* under conditions of heterotrophic and autotrophic nutrition, 725

Book reviews

Chailakhyan, M.Kh. & Khrianin, V.N. (ed. by Kenneth V. Thiman; translated by Vanya Loroch) Sexuality in Plants and its Hormonal Regulation, 217
CIBA Foundation Symposium 133, Plant Resistance to Viruses, 117
CIBA Foundation Symposium 137, Applications of Plant Cell and Tissue Culture, 467
Gepts, P. (ed.) Genetic Resources of *Phaseolus* Beans, 589
Goodwin, T.W. (ed.) Plant Pigments, 680
Grierson, D. & Covey, S.N. Plant Molecular Biology, 219
Hawksworth, D.L. & Kirsop, B.E. (eds) Filamentous Fungi (Living Resources for Biotechnology), 592
Jackson, M.B., Mantell, S.H. & Blake, J. (eds) Advances in the Chemical Manipulation of Plant Tissue Cultures, 957
Jeffrey, D.W. Soil-Plant Relationships: an Ecological Approach, 116
Kaul, L.H. Male Sterility in Higher Plants, 116
Kirsop, B.E. & Kurtzman, C.P. (eds) Living Resources for Biotechnology — Yeasts, 679
Kutacek, M., Bandurski, R.S. & Krekule, J. (eds) Physiology and Biochemistry of Auxins in Plants, 681
Landolt, E. The Family of Lemnaceae — A Monographic Study, Volume 1, 461
Landolt, E. & Kandeler, R. The Family of Lemnaceae — A Monographic Study, Volume 2, 461
Leaver, C.J. & Lonsdale, D. (eds) Mitochondrial Biogenesis, 590
Lichtenthaler, H. K. (ed.) Applications of Chlorophyll Fluorescence in Photosynthesis Research, Stress Physiology, Hydrobiology and Remote Sensing, 957
Longton, R.E. The Biology of Poar Bryophytes and Lichens, 849
MacLean, N. & Hall, B.K. Cell Commitment and Differentiation, 114
Miflin, B.J. (ed.) Oxford Survey of Plant Molecular and Cell Biology, Volume 4, 113
Puite, K.J., Dons, J.J.M., Huizing, H.J., Kool, A.J., Koorneef, M. & Krens, F.A. (eds) Progress in Plant Protoplast Research, 591
Roberts, J.A. & Hooley, R. Plant Growth Regulators, 217
Sakai, A. & Larcher, W. Frost Survival of Plants: Responses and Adaptation to Freezing Stress, 850
Sheail, J. Seventy-Five Years in Ecology: The British Ecological Society, 219
Sprent, J.I. The Ecology of the Nitrogen Cycle, 115
Tenhunen, J.D., Catarino, F.M., Lange, O.L. & Oechel, W.C. (eds) Plant Response to Stress: Functional Analysis in Mediterranean Ecosystems, 341
Urbanska, K.M. (ed.) Differentiation Patterns in Higher Plants, 114
Wellburn, A.R. Air Pollution and Acid Rain, 679

Reviewers

Atkinson, D., 116
Baker, N.R., 957
Bjorn, L.O., 680
Bryant, J.A., 114
Collin, H.A., 467
Crawford, R.M.M., 219
Davey, M.R., 591
Douce, R., 590
Jackson, M.T., 589
Jenkins, G.I., 113
Jennings, D.H., 592
Jones, H.G., 341
Lewis Smith, R.I., 849
Lindsey, K., 957
Long, S.P., 850
Meacock, P.A., 679
Moore, D.M., 114
Napier, R., 217
Owens, S.J., 217
Parker, P.F., 116
Smith, S.M., 219
Stace, C.A., 467
Stewart, G.R., 115
Unsworth, M.H., 679
Venis, M.A., 681
Wood, K.R., 117

Subject Index

Abscisic acid, 73, 163, 629
Acclimation, 495
Acer pseudoplanatus, 191
Acer saccharum, 371
Acid rain, 93
Acoustic emission, 371
Actinorhizal nodules, 205
Action potentials, 199
Adaptive value, 853
Adventitious rooting, 489
Agathis australis, 343
Agerobacterium rhizogenes, 197
Air pollution, 93, 891
Alder, 205
Allium cepa, 455
Alnus glutinosa, 295
Alpine, 331
Aluminium, 479
Amaranthus retroflexus, 581
Amides, 683
Ammonia, 897
Amoeboid plastids, 205
Amylase, 155
Apple, 31, 301
Arabidopsis thaliana, 337
Arctic plants, 747
Artemisia tridentata, 933
Ascophyllum nodosum, 765
Ascorbate, 455, 701
Aspen, 489
Assimilates, 1
Atrazine, 945
Auxin, 383, 737
Avena spp., 737, 885
Axial tissue, 183

Barley, 155, 323, 551, 795, 907
Bean, 945
Brassica, 197, 615
Buffers, 765, 771

Cactus, 331
Calcium, 119, 137, 551:
  citrate, 285
  oxalate, 109
Callus cultures, 629
Capacitance, 63, 831
Carbohydrates, 83
Carbon balance, 101
Carbon dioxide, 31, 183, 581, 669, 759, 771, 805, 925
Carbon metabolism, 173, 407, 615, 689, 765, 795
Cartesian diver, 323
Castanea sativa, 925
Catalase, 701
Cell specialization, 907
Cell wall, 249, 383
Chenopodium rubrum, 725
Chestnut, 925
Chilling, 119
Citrus spp., 529
Chlamydomonas pulsatilla, 621
Chlamydomonas reinhardtii, 173
Chloride, 47
Chloroembryos, 759
Chlorophyll, 155, 309, 819, 925, 945
Chloroplast, 31, 109, 595
Citric acid, 285
Citrullus lanatus, 449
Clones, 343

Cocklebur seed, 183
Commelina communis, 653
Competition, 309
Conductance, 301, 425
Cooling, 119, 137
Cortex, 569
Cotyledon, 183
Crassulacean acid, 331, 765, 831
Cucumber, 137
Cucumis sativus, 137
Cytokinin, 273

Dacrydium cupressinum, 343
Desiccation, 83
Development regulation, 471
Differentiation, 569
Diffusion, 293
Docks, 433
Dormancy, 581
Drought, 197, 317, 435, 441, 615, 933
Dynamic models, 63

Electron transport, 357, 595, 819
Elongation, 433, 455
Embryos, 759
Endocytosis, 151
Endodermis, 395
Energy:
  budget, 643
  charge, 843
Epidermis, 425
Epinasty, 813
Ethylene, 183, 383, 433, 581, 813
Evening primrose, 109
Evolution, 541
Excitability, 119
Exudates, 285

Fern, 383
Ferocactus acanthodes, 831
Fescue, 261, 407
Festuca arundinacea, 269, 407
Field apparatus, 945
Firethorn, 819
Flaveria, 541, 689
Frequency response, 145
Frost hardiness, 521, 661, 819
Fruit, photosynthesis, 31, 759
Fucaceae, 765, 771

Galls, 273
Germination, 155, 183, 235, 471, 581
Glutamate dehydrogenase, 173
Glutathione, 825
Glycerol, 621
Glycine max, 317, 395, 441, 713
Gramineae pollen, 83
Grape 31
Grassland, 861
Gravitropism, 337
Growth:
  culture, 725
  drought, 183, 317
  ethylene, 383, 443
  internode, 511
  kinetics, 449
  light, 343
  model, 101
  nitrates, 417, 779, 787
  seedlings, 551

Gunnera tinctora, 939

Halophytes, 503, 559
Hardening, 661
Hardiness, 495
Haworthia spp., 643
Hibiscus, 495
Hippuris vulgaris, 163
Histochemistry, 249
Hordeum vulgare, 155, 323, 551, 795, 907
Hormones, 145, 191, 489, 737
Humidity, 407
Hydrogen fluorides, 1
Hysteresis, 57

IAA, 737
Image analysis, 885
Imbibition, 843
Indolylbutyric acid, 489
Instrumentation, 669
Ion transport, 47, 551
Isotopes, 221, 615, 795
Isotherm, 57

Kalanchoe blossfeldiana, 843
Kauri, 343

Lacunae, 293
Leaching, 93
Leaf:
  age, 309
  conductance, 301, 885, 897
  growth, 317, 417
  morphology, 163
  photosynthesis, 261, 357, 461
  respiration, 747
  water relations, 221, 441, 653, 669, 933
Lemna gibba, 779, 787
Lemon, 529
Light, 343, 357, 407, 461, 581, 945
Ligustrum ovalifolium, 819
Lipids, 753
Liposomes, 83
Lithops spp., 643
Loblolly pine, 309
Lophopyrum spp., 47
LTSEM, 879
Lupin, 285
Lupinus albus, 285
Lycopersicon esculentum, 273, 813

Maize, 73, 753, 945
Malus pumila, 31, 301
Meristems, 323, 455
Microrespirometry, 323
Microsome, 191, 753
Millet, 471
Models, 101, 301, 643, 861
Murraya spp., 759
Mustard, 337, 511
Myriophyllum spicatum, 805

Nitrogen, 261, 173, 395, 407, 683, 713, 779, 787, 861, 939
Nitrogen oxides, 1, 417, 581
Nodules, 395, 683, 713
Nostoc punctiforme, 939
Nuclear genes, 595
Nutrients, 93,. 309, 417, 725, 925
Nymphoides peltata, 383

Oat, 737, 885
Oenothera hookeri, 109
Oryza sativa, 155, 629

Oscillation, 145
Osmoregulation, 621
Osmotic potential, 57, 683, 831, 917
Oxygen, 183, 293
Ozone, 1

Parasitic angiosperm, 101
Parenchyma, 249, 907
Partitioning, 615
Passiflora edulis, 449
Pea, 31, 569, 779, 787
Peach 521
Pennisetum americanum, 471
PEP carboxylase, 689
Peroxide, 701
pH, 191, 383
Phaseolus vulgaris, 945
Phloem 713
Phosphoenolpyruvate carboxylase, 31
Phospholipids, 83
Photoinhibition, 701
Photomixotropy, 725
Photomorphogenesis, 511
Photoperception, 853
Photoperiod, 235, 495, 661, 747
Photorespiration, 689, 805
Photosynthesis:
  air pollution, 1
  brown algae, 765, 771
  C_4-like, 541
  catalase, 701
  electron transport, 595
  evolution, 689
  fruit, 31
  growth, 343
  measurement, 461, 669, 945
  model, 101
  nitrogen, 261, 713, 939
  salinity, 551, 559
  tropical, 331, 759
  water, 559, 713, 795, 933
Photothermal time, 235
Phthirusa pyrifolia, 759
Phyllochron, 235
Phytochrome, 343, 511, 853
Picea spp., 63, 93
Pinus ponderosa, 57, 933
Pinus radiata, 343, 661
Pinus strobus, 371
Pinus taeda, 309
Pisum sativum, 31, 569, 779, 787
Plantago maritima, 559
Plastids, 205
Pollen, grass, 83
Pollutants, air, 1
Poplar, 897
Populus tremula, 489
Potassium, 47, 753, 825
Potentials, 119, 137
Potamogeton, 293
Pressure chamber, 57
Privet, 819
Productivity, 861, 939
Proline, 629
Protein:
  differentiation, 569
  heat shock, 471
  phosphorylation, 191
Proteoid roots, 285
Protons, 737, 765, 771
Protoplasts, 541
Prunus persica, 521
PSI, 357

Psychrometry, 441
Pyracantha coccinea, 819

Quantum:
efficiency, 357
field, 945

Radiata pine, 343, 661
Rape, 197
Red: far red ratio, 853
Regnellidium diphyllum, 383
Regulation, 145
Resistance, 831
Respiration, 1, 101, 293, 323, 683, 747
Rhizogenisis, 197, 615
Rhizome, 249
Rhizosphere, 285
Rhythm, 145
Rice, 155, 629
Root:
adventitious, 489
differentiation, 569
drying, 73, 197
formation, 337
nodules, 205
Rosa damascena, 825
Rose, 825
Rose-of-Sharon, 495
Rumex spp., 433

Saccharum spp., 635
Salinity, 529, 551, 621, 753
Salix viminalis, 417
Salt tolerance, 47, 629, 753, 813
Sansevieria, 249
Sap, 917
Saxifraga cernua, 747
Seedlings, 343, 551
Seeds, 581
Senescence, 925
Shade-avoidance, 853
Signal, 145
Sinapis alba, 511
Sodium, 47, 529, 551, 753
Sodium fluoride, 155
Soil, 73
Sorghum, 101, 425, 471
Soybean, 317, 395, 441, 713
Spectral reflectance, 309
Spinach, 819

Spinacia oleracea, 819
Sporobolus virginicus, 503
Starch, 621
Stele, 569
Stimulation, 109
Stomata, 1, 31, 73, 261, 301, 425, 559, 635, 653, 885, 897, 933
Stress, 173, 183, 317, 441, 615, 629, 701, 813
Striga hermothica, 101
Submergence, 433
Sugar cane, 635
Sulphur dioxide, 1, 93
Symbiont, 939
Syzygium cuminii, 759

Temperature, 119, 137, 235, 643, 701
Tendril, 449
Thermotolerance, 471
Thigmonasty, 449
Thuja occidentalis, 371
Thylakoid, 357, 595, 819
Tissue culture, 191, 503, 725
Tolerance, 197, 495, 503, 643, 813
Tomato, 273, 813
Toxicity, 479
Transpiration, 63, 221, 407, 425, 635
Triticum, 47, 155, 221, 235, 479, 917
Tropics, 331
Tumour, 273
Turgor, 151, 441, 831
Turnover, 621

Ureides, 395, 683, 713
UV radiation, 825

Vacuolization, 455
Vesicles, coated, 151
Vitamin D_3, 489
Vitis vinifera, 31

Water:
potential, 57, 63, 213, 831
relations, 249, 261, 579, 683, 713, 795, 917, 933
Wheat, 47, 155, 221, 235, 479, 917
Willow, 417
Witchweed, 101

Xanthium pennsylvanicum, 183
Xylem, 371, 395, 683, 713

Zea mays, 73, 753, 945